



PATCH FITTINGS


Installation Details

X=8mm
Y=3mm
Z=4mm






NPF - 61 | Overpanel Connector for Back to Back Door with Fin




NPF - 60L | Overpanel Side Panel Connector with Fin (Left)



NPF - 30A2 | Overpanel Connector for Back to Back Door




NPF - 81 | Wall to Glass Connecting Patch




NPF - 60B-F | Connecting Patch for Over Panel & Side Panel with Pivot




NPF - 81A |




NPF - 62 | Glass to Glass Connector Patch




NPF - 33A+3B | Thumb Turn Knob & Strike Box



NFS - 700M | Mini Floor Spring without Spring



NTP - 100 | Top Pivot



NFS - AC Set | Top and Bottom Pivot for Aluminium / Wooden Doors



Available Colours in Patch Fitting SS 304

Black




Gold




Rose Gold



Chrome



Satin Matt






FLOOR SPRING

5 Lacs
— Cycles Tested




5 LACS
Cycles Tested



NEW

1. First adjusting closing range (90°-15°)
2. Second adjusting closing range (15°-0°)
3. Hold open at 90° or 105° (optional extra)
4. Max opening angle at 130°.

- High grade cast iron mechanism body is housed within a galvanized steel loose box which is zinc protected & painted for corrosion resistance.
- Internal mechanism components utilising heat treated high alloy steels & ball bearing for optimum efficiency.
- Stable hydraulic fluid for any climatic operation & constant lubrication.
- Suitable for timber metal & tempered glass doors.
- Suitable for door weight 90KGS-120KGS.
- Over 500,000 times of circular testing, quality is ensured.



NFS-800/900

Double Spring Floor Hinge (Standard Duty)


Type and door weight /width

Type	#1	#2
Max width (mm)	800-1000	1000-1200
Max door weight (kg)	90	120

5 Lacs
— Cycles Tested




5 LACS
Cycles Tested



1. First adjusting closing range (90°-15°)
2. Second adjusting closing range (15°-0°)
3. Hold open at 90° or 105° (optional extra)
4. Max opening angle at 130°.

- High grade cast iron mechanism body is housed within a galvanized steel loose box which is zinc protected & painted for corrosion resistance.
- Internal mechanism components utilising heat treated high alloy steels & ball bearing for optimum efficiency.
- Stable hydraulic fluid for any climatic operation & constant lubrication.
- Suitable for timber metal & tempered glass doors.
- Suitable for door weight 70KGS-100 KGS.
- Over 500,000 times of circular testing, quality is ensured.



NFS-700

Single Spring Floor Hinge (Standard Duty)


Type and door weight /width

Type	#1
Max width (mm)	900
Max door weight (kg)	100

10 Lacs
— Cycles Tested



10 LACS
Cycles Tested




NEW



1. First adjusting closing range (90°-15°)
2. Second adjusting closing range (15°-0°)
3. Hold open at 90° or 105° (optional extra)
4. Max opening angle at 130°.

- High grade cast iron mechanism body is housed within a galvanized steel loose box which is zinc protected & painted for corrosion resistance.
- Internal mechanism components utilising heat treated high alloy steels & ball bearing for optimum efficiency.
- Stable hydraulic fluid for any climatic operation & constant lubrication.
- Suitable for timber metal & tempered glass doors.
- Suitable for door weight 90KGS-120KGS.
- Over 500,000 times of circular testing, quality is ensured.



NFS-1100

Double Spring Floor Hinge (Standard Duty)


Type and door weight /width

Type	#1
Max width (mm)	800-1000
Max door weight (kg)	90
Guarantee	7

5 Lacs
— Cycles Tested




5 LACS
Cycles Tested



1. First adjusting closing range (90°-15°)
2. Second adjusting closing range (15°-0°)
3. Hold open at 90° or 105° (optional extra)
4. Max opening angle at 130°.

- High grade cast iron mechanism body is housed within a galvanized steel loose box which is zinc protected & painted for corrosion resistance.
- Internal mechanism components utilising heat treated high alloy steels & ball bearing for optimum efficiency.
- Stable hydraulic fluid for any climatic operation & constant lubrication.
- Suitable for timber metal & tempered glass doors.
- Suitable for door weight 70KGS-100 KGS.
- Over 500,000 times of circular testing, quality is ensured.



NFS-600

Single Spring Floor Hinge (Standard Duty)


Type and door weight /width

Type	#1
Max width (mm)	900
Max door weight (kg)	90




NHP-100

Available Colours in SS 304





Maximum open degree Left side 150° Right side 150°
 90° Hold-Open Function
 Closing Speed 150°- 10°
 Buffering Speed 10°- 0°
 Adjustment can be individually
 Hold open at 90°

Available Finish
 Satin Stainless Steel
 Polish Stainless Steel



Technical Details

- About 5 Lakh cycles tested
- Maximum door width 1000mm
- Maximum door weight 90kgs
- Dimension : 183x30x65mm
- Ambient temperature 20°C~+50°C
- Quick and easy installation
 The design no need drill/hole on the floor, making installation easier.
- Opening Lightly, Close Smoothly!





GLASS DOOR LOCK



NPF - 34A+B | One Side Knob & One Side Key
Glass to Glass Lock without cutout in Glass



NPF - 34A | One Side Knob & One Side Key
Wall to Glass Lock without cutout in Glass



NPF - 36A+B | One Side Key Glass to Glass Lock



NPF - 36A | One Side Key Wall to Glass Lock




NPF - 32A+B Rod | Glass to Glass Lock with One Side Key



NPF - 32A Rod | Wall to Glass Lock with One Side Key



NPF - 34A+B Rod | Glass to Glass Lock with
One Side Key & One Side Turn Knob



NPF - 34A Rod | Wall to Glass Lock with
One Side Key & One Side Turn Knob



NPF - 252A+B | Glass to Glass Lock for Sliding Door with Handle



NPF - 252A | Wall to Glass Lock for Sliding Door with Handle



NPF - 255A+B | Glass to Glass Lock with Handle One Side Key & One Side Turn Knob



NPF - 255A | Wall to Glass Lock with Handle One Side Key & One Side Turn Knob



NPF - 256A+B | Glass to Glass Lock with Handle Both Side Key



NPF - 256A | Wall to Glass Lock with Handle Both Side Key



NPF - 262A+B | Glass to Glass Lock for Glass Door with Handle



NPF - 262A | Wall to Glass Lock for Glass Door with Handle



NPF - 263A | Wall to Glass Lock with Round Recess Slide Handle



NPF - 263A+B | Glass to Glass Lock with Round Recess Slide Handle



NPF - 257A+B | One Side Turn Knob
Glass to Glass Lock



NPF - 257A | One Side Turn Knob
Wall to Glass Lock



NPF - 251A+B | Glass to Glass Lock
with Knob



NPF - 251A | Wall to Glass Lock
with Knob




NPF - 251A+B Push | Glass to Glass Lock
with Push Button



NPF - 251A Push | Wall to Glass Lock
with Push Button



NPF - 283A+B | Glass to Glass Lock with Indicator



NPF - 283A | Wall to Glass Lock with Indicator



NPF - 258 | One Side Turn Key
Glass to Glass Lock



NPF - 260 | Wall to Glass Lock
6mm to 8mm Glass




NPF - 99E | Sliding Door Lock
for Overlapping Glasses




SHOWER HINGES

Available Colours in Shower Hinges
SS 304




Black




Gold



Rose Gold



Chrome





Satin Matt

STAINLESS STEEL 304/ BRASS HINGES





NSH - 11 | Wall to Glass Hinges
90° Forged Brass



Glass cut-out consult top and bottom





NSH - 11HP | Wall to Glass Hinges
90° Half Plate Forged Brass



Glass cut-out consult top and bottom





NSH - 22 | Glass to Glass Hinges
180° Forged Brass



Glass cut-out consult top and bottom





NSH - 33 | Glass to Glass Hinges
135° Forged Brass



Glass cut-out consult top and bottom





NSH - 44 | Glass to Glass Hinges
90° Forged Brass



Glass cut-out consult top and bottom



NSH - 55 | Fixed Hinges
Forged Brass



Glass cut-out consult top and bottom

STAINLESS STEEL 304




NSH - 1101 | Wall to Glass Hinges
90° Forged Brass




NSH - 1101HP | Wall to Glass Hinges
90° Half Plate Forged Brass




NSH - 1102 | Glass to Glass Hinges
180° Forged Brass



Glass cut-out consult top and bottom



Glass cut-out consult top and bottom



Glass cut-out consult top and bottom




NSH - 1103 | Glass to Glass Hinges
135° SUS 304




NSH - 1104 | Glass to Glass Hinges
90° Forged Brass




NSH - 1105 | Fixed Hinges
Forged Brass







Glass cut-out consult top and bottom



Glass cut-out consult top and bottom



Glass cut-out consult top and bottom






NSH - 66 | Fixed Hinge with Plate



NSH - 77 | Three Glass 'T' Hinges






NSH - 88 | Fixed Hinges with Pivot Forged Brass








NHF - 101 | Hydraulic Glass Fitting 90°
Stainless Steel 304




NHF - 102 | Hydraulic Glass Fitting 180°
Stainless Steel 304



T- Connector




NGC - 3 | T-Connector Glass to
Glass 90° Stainless Steel 304




Hinges



NPF - 10A



NPF - 9A





GLASS CONNECTORS

Available Colours in Shower Hinges
SS 304




Black



Gold



Rose Gold



Chrome



Satin Matt

BRASS



NGC - 1 | Wall to Glass Connector
90° Brass + Stainless Steel



NGC - 2 | Glass to Glass Connector
180° Brass + Stainless Steel



NGC - 3 | Glass to Glass Connector
135° Brass + Stainless Steel



NGC - 4 | Glass to Glass Connector
90° Brass + Stainless Steel



NGC - 5 | Fixed Connector
90° Brass + Stainless Steel

SS 304



NGC - 11 | Wall to Glass Connector
90° Stainless Steel 304



NGC - 22 | Glass to Glass Connector
180° Stainless Steel 304








NGC - 33 | Glass to Glass Connector
135° Stainless Steel 304



NGC - 44 | Glass to Glass Connector
90° Stainless Steel 304



NGC - 55 | Fixed Connector
90° Stainless Steel 304




SS 304



NGC - 101 | Wall to Glass Connector
90° Stainless Steel 304



NGC - 203 | Glass to Glass Connector
180° Stainless Steel 304



NGC - 303 | Glass to Glass Connector
135° Stainless Steel 304



NGC - 404 | Glass to Glass Connector
90° Stainless Steel 304



NGC - 505 | Fixed Connector
90° Stainless Steel 304

BRASS



NGC - 111 | Wall to Glass Connector
90° Stainless Steel 304



NGC - 222 | Glass to Glass Connector
180° Stainless Steel 304









NGC - 333 | Glass to Glass Connector
135° Stainless Steel 304




NGC - 444 | Glass to Glass Connector
90° Stainless Steel 304




NGC - 555 | Fixed Connector
90° Stainless Steel 304







NPS - 2




NPS - 3




NPS - 4




NPS - 7




NPS - 8




NPS - 9



NPS - 10



NPS - 11



NPS - 13

SHOWER DOOR KNOB



NTB - 2 | Glass Door Knob



NTB - 4 | Glass Door Knob



NTB - 3 | Glass Door Knob



NTB - 5 | Glass Door Knob



NTB - 6 | Glass Door Knob



NTB - 7 | Glass Door Knob



NTB - 8 | Glass Door Knob



NTB - 9 Glass Door Knob



NTB - 8 | Glass Door Knob



NTB - 9 | Glass Door Knob

SHOWER KNIGHT HEAD ACC.

Nexia*
Platinum

Towel Handles Stainless Steel 304 Grade



NTB - 1 | Shower Door Handle with Towel Bar
19Dx152x457mm



NTB - 2 | Shower Door Handle with Towel Bar
250x300CCx500CC



NTB - 3 | Shower Door Handle
with Towel Bar 19Dx152x457mm



NTB - 4 | Shower Door Handle
with Towel Bar 250x300CCx500CC



NTB - 572 | Shower Door Handle
with Towel Bar 250x300CCx500CC

CABINET HINGES



NCH - A1 | Wall to Glass Hinges
90° for 6mm to 8mm Glass




NCH - A2 | Glass to Glass Hinges
180° for 6mm to 8mm Glass



NCH - A3 | Glass to Glass Hinges
90° for 6mm to 8mm Glass

GLASS CLAMP



NS - 1 |



NS - 2 | Railing Jointer



NSHF - 25C | Wall to Glass Bracket
10mm to 12mm



NSHF - 25A | Glass to Shelf
Bracket for 10mm to 12mm




NSHF - 25B | Glass to Glass Shelf
Bracket for 10mm to 12mm


19mm Round




NSKH - 1 | Wall to Rod Connector Brass




NSKH - 4 | Glass to Rod End Bracket Brass




NSKH - 2 | Glass to Rod Bracket Brass




NSKH - 3 | Rod to Rod Angle Change Bracket Brass




NSKH - 3 | Rod to Rod T Connector Brass




NSKH - 1 | Wall to Track Connector




NSKH - 2 | Rod to Glass Connector



NSKH - 3 | Rod to Glass Connector



NSKH - 4 | Track to Track Connector 90° Glass to Track Connector



NSKH - 3 | Rod to Rod T Connector Brass

25mm Square



NSKH - 1 | Square Wall to Track Connector



NSKH - 2 | Square Rod to Glass Connector




NSKH - 3 | Square Rod to Glass Connector




NSKH - 4 | Square Track to Track Connector 90° Glass to Track Connector




NSKH - 3 | Rod to Rod T Connector Brass



NPS - 64 | Reinforcing Rod



NPS - 64 RECT | Reinforcing Rod



NPS - 64 RECT | Reinforcing Rod



GLASS SLIDING SYSTEM

NSL- 66 Sliding System



NPFC - 7 | Roller (Big)



NPFC - 7-1 | Roller (Small)



NPFC - 7-2 | Track to Glass Holder



NPFC - 7-3 | Wall to Track Connector



NPFC - 7-4 | Stopper







NPFC - 7-5 | Floor Guide



NPFC - 7-6 | Sliding Handle



NPFC - 7-7 | Sliding Track



NSL- 68 Sliding System



NPFC - 8 | Roller



NPFC - 8-1 | Stopper



NPFC - 8-2 | Track to Glass Holder



NPFC - 8-3 | Wall to Track Connector





NPFC - 8-4 | Door Knob





NPFC - 8-5 | Floor Guide




NPFC - 8-6 | Sliding Track





Counterbore holes
from the front side



(as required by installation,
Size=55MM)





DW = overpanel width
SW = sidelight width
DW = door width



**NPS - 47E | Flat
Sliding Roller**




**NPS - 47E | Round
Sliding Roller**




NPS - 48E | Wall to Rod Track




NPS - 49E | Rod to Glass Track




NPS - 65E |





NPS - 51E-F | Flat Sliding Door Stopper




NPS - 58E |



NPS - 57E | Stainless Steel Guide



NPS - 53E | Consield Bracket for 25mm Rod



NPS - 64 | Sliding Rod (25mm)



Tool



NPFC - 1A | Sliding Roller



NPFC - 2 | Sliding Roller



NPFC - 3 | Sliding Roller for Glass Door



NPFC - 4 | Sliding Roller for Glass Door



SLIDING SYSTEM



NPFC - 5 | Sliding Roller (Square)



End Cap



Guide



Stoper



Track



NPFC - 6 | Sliding Roller (Soft Close)



End Cap



Guide



Stoper



Track



NPFC - 9
Stoper



NPFC - 10
Wall to Track Clamp



Flat
NPFC - 11 (Manet)
Glass to Track Clamp



Counter Shunk



NPFC - 14
90° Track Connector



NPFC - 57E
Floor Guide



NPFC - 15
Wall to Track
Connector



NPFC - 60E
Sliding Handle
Ø 48mm



NPS - 64E
Sliding Handle
(Hollow)
Ø 50mm



NPS - 61E
Sliding Handle
(Square)
Hole to Hole
Distance 55mm




NPS - 62E
Sliding Handle
(Rectangle)
Hole to Hole
Distance 90mm




NPS - 63E
Sliding Handle
(Rectangle)




NPFC - B1
Aluminium Track
(Single Door)



NPFC - B2
Aluminium Track
(Double Door)



NPFC - B3
Aluminium Track
(Door + Fix Glass)





NPS - 67E | Door Rooler



NPS - 38 E | Glass to Glass Hinge




NPS - 39 E | Glass to Wall Hinge




NFS - 33 A | Sliding Glass Door Lock



NPF - 33 B | Knob Sleeve



NPFC - B 1 | Sliding Aluminium Track





NFS - 2 | Sliding Folding Swing Panel Top Fitting



NFS - 3 | Sliding Folding Glass to Glass Panel Connector



NFS - 4 | Sliding Folding Glass to Glass Panel Connector with Roller



NFS - 5 | End Sliding Folding Panel Fitting with Roller



NFS - 8 | Sliding Folding Swing Panel Top Fitting



NFS - 7 | Sliding Folding Glass to Glass Panel Connector with Lock



NFS - 6 | Sliding Folding Glass to Glass Panel Connector with Guide



NFS - 9 | End Sliding Folding Panel Fitting with Guide Locator



Top Track for Sliding Folding Fitting




Bottom Track



NFS - 10 |



NPS-11A
Wall to Glass Connectors






NPS-12A
Holding Glass with Wall




NPS-11A
Holding Glass with Glass



NPS-14A
Holding Glass with Glass & Third Glass at 90°



Components and Assembly of the Wall Fixing



For glass/ glass corner connectors for 10mm and 12mm thick toughened glass.



NPC-31A
Wall to Glass Connector



NPC-32B
Rod to Glass Connector



NPC-33C
Wall to Rod Connector



NPC-64CR
Connecting Rod



NCF-01
Wall to Glass Connector 90°



NCF-02
Adjustable Glass Connector



NCF-03
Wall to Rod Connector



NCF-07
Canopy Connector





NCF-316
Threaded Sleeve to Connect Rod





SPIDER FITTINGS

SPIDER WITH FIN 200mm





NSHF-1W-Fix

To Hold Glass with Side Wall / Ceiling





NSHF-2W

To Hold Two Glass with with Fix Spider



NSHF-2W-Fix

To Hold Glass with Side Wall / Ceiling (Two Point)




NSHF-4W

Four Spider with Fin



SPIDER FITTINGS


SPIDER WITH FINOUT 200mm




NLSF-1A
One Way Spider




NLSF-2A
To Hold Two Glasses without Fin at 180°




NLSF-2B
To Hold Two Glasses without Fin at 90°



NLSF-3A
To Hold Three Glasses without Fin



NLSF-4A
To Hold Four Glasses without Fin



NLSF-2A-90
To Hold Four Glasses at 90° Bend

SPIDER WITH FINOUT 220mm




NLSF-11A
One Way Spider




NLSF-22A
To Hold Two Glasses without Fin at 180°




NLSF-22B
To Hold Two Glasses without Fin at 90°



NLSF-33A
To Hold Three Glasses without Fin




NLSF-44A
To Hold Four Glasses without Fin



NLSF-22A-90
To Hold Four Glasses at 90° Bend


POINT SPIDER FITTINGS 200mm




NSHF-111W
To Hold Glass with Side Wall / Ceiling



NSHF-222W Fix
To Hold Glass with Side Wall / Ceiling
(Two Point)



NSHF-222W
To Hold Two Glasses with Fin



NSHF-444W
To Hold Four Glasses with Fin

POINT SPIDER FITTINGS 200mm




NSFA-111
To Hold Glass at One Point without fin




NSFA-222
To Hold Two Glass at without fin 90°




NSFA-333
To Hold Two Glass at without fin 180°




NSFA-444
To Hold Four Glasses without Fin




NSFA-01
Fixed Routel Flat Head



NSFA-03
Articulated Routel Counter Sunk Head Bolt




NSFA-04
Articulated Routel Flat Head Bolt




NSFA-Z02
Iron Assembly
To Hold without Fin Spiders to any Structure

FIN PLATES



NPF-1D-200
To Hold Fin with Ceiling or Floor


Hole Diameter-20mm



NPF-1D-300
To Hold Fin with Ceiling or Floor


Hole Diameter-20mm

SPLICE PLATES



NPF-1E-200
To Hold Two Pieces of Fin Together

Hole Diameter-22mm



NPF-1E-300
To Hold Two Pieces of Fin Together

Hole Diameter-22mm





**GLASS & WOODEN
DOOR HANDLE**



NDH - 103
PSS+Crystal
25Dx330Hx305CC mm



NDH - 104
PSS+Crystal
25Dx330Hx305CC mm



NDH - 106
PSS+Crystal
25Dx330Hx305CC mm



NDW - 468M
W+SSS
25/45x450Hx305CC mm



NDW - 802
W+SSS
38Dx560Hx305CC mm



NDW - 434L2
W+SSS | W+PSS
30x30Dx335Hx305CC mm
38x38Dx492Hx458CC mm
38x38Dx600Hx562CC mm



NDW - 210
W+SSS+PSS
32Dx500Hx305CC mm



NDW - 258
W+SSS
38Dx600Hx305CC mm



NDW - 440S
W+PSS
38Dx550Hx305CC mm



NDW - 283
W+PSS
38Dx500Hx305CC mm



NDW - 208
W+SSS
38Dx550Hx305CC mm



NDW - 568
W+PSS
51Dx800Hx458CC mm



NDH - 208
SSS+PSS
38Dx1800Hx1400CC mm
38Dx1500Hx1200CC mm
38Dx1200Hx900CC mm
38Dx900Hx700CC mm
32Dx900Hx700CC mm
32Dx600Hx482CC mm
38Dx600Hx482CC mm
38Dx600Hx457CC mm
25Dx400Hx300CC mm
32Dx450Hx305CC mm
32Dx450Hx350CC mm



NDH - 1108
SSS+PSS
38Dx800Hx550CC mm



NDH - 198
PSS+SSS
32Dx475Hx305CC mm
32Dx600Hx420CC mm



NDH - 226
PSS+SSS
25Dx325Hx300CC mm
32Dx450Hx419CC mm
32Dx600Hx570CC mm



NDH - 734
PSS+SSS
38Dx650Hx456CC mm



NDH - 496
PSS+SSS
38Dx600Hx350CC mm
38Dx450Hx250CC mm



NDH - 434
SSS+PSS
30x30Dx335Hx305CC mm
30x30Dx450Hx420CC mm
38x38Dx600Hx562CC mm
38x38Dx800Hx762CC mm



NDH - 456
SSS+PSS
35Dx400Hx300CC mm



NDH - 572
PSS+Crystal
25x300Hx500CC mm



NDH - 422
PSS+SSS
38Dx500Hx305CC mm



NDH - 598
PSS+SSS
32Dx450Hx300CC mm
32Dx600Hx450CC mm



NDH - 403
 SSS+PSS
 38Dx500Hx305CC mm



NDH - CR-01
 PSS+SSS (Crystal)
 308Dx450Hx305CC mm





NDH - 456
 W+PSS
 28x450Dx305CC mm

DOOR HANDLE WITH LOCK



NDHL - 1110
 PSS+SSS
 35x1500CC mm







NRA - 01
Spigot (200mm)



NRA - 02
Spigot (225mm)



NRA - 02 (Mini)
Spigot (100mm)



NRA - 03
Spigot (150mm)



NRA - 03 (Mini)
Spigot (100mm)



NRA - 04
Spigot (150mm)



NRA - 05
Spigot (150mm)



NRA - 06
Spigot (300mm)



NRA - 07
Spigot



NRA - 08
Spigot



NRA - 09
Spigot



NRA - 10
Spigot



NRA - 11
Spigot (150mm)



NRA - 12
Spigot (300mm)



NRA - 13
Spigot (300mm)





Plate



NRA - 30
Wall to Handrail



NRA - 31
Glass to Handrail



NRA - 32
Glass to Handrail



NRA - 33 (Fin Style)
Glass to Handrail



NRA - 34 (Flat)
U Shape
Railing Connector



NRA - 35 (Curve)
U Shape
Railing Connector



NRA - 36
Railing Stud 45mm



NRA - 37
Glass Adjustable Stud



NR5A - 38
Glass Railing Twin Stud

Round Series



NRA - 101
Slotted Pipe
Joints 180°



NRA - 102
Slotted Pipe
Joints 90°



NRA - 103
Slotted Pipe
Joints L-Type 90°



NRA - 104
Slotted Pipe
Straight Joints



NRA - 105
Wall to Slotted Pipe
Joints



NRA - 106
Slotted Pipe
End Cap

Square Series



NRA - 107
Slotted Pipe
Joints 180°



NRA - 108
Slotted Pipe
Joints 90°



NRA - 109
Slotted Pipe
Joints L-Type 90°



NRA - 110
Slotted Pipe
Straight Joints



NRA - 111
Wall to Slotted Pipe
Joints



NRA - 112
Slotted Pipe
End Cap

Slot Size 15mmx15mm
20mmx20mm



NRA - 22
Single Slotted Round Pipe



Slot Size 15mmx15mm
NRA - 23
Single Slotted Square Pipe



NRA - 24
Glass to Glass Connector 180°



NRA-201



NRA-202



NRA-203



NRA-204



NRA-205



NRA-206



NRA-207



NRA-208



NRA-209



NRA-210



NRA-211



NRA-212




NRA-213



GLASS GLAZING PROFILE



NGP -401
Inter Locking Glazing Profile



Specifications
For 8 to 12 mm Glass
Material : Aluminium
Size : 3000 mm
Finish : Brush Steel (SS)




NRA - 58E (Adjustable)
Point Glass Connectors for
10-15mm Glass (Counter Shunk)



NRA - 58E (Fix)
Point Glass Connectors for
6mm Glass (Flat)



NGP -402
Wall Connecting Profile
Available in 3 & 5 Mtr.



NGP -403
'U' Channel (For Fixed Glass)
Available in 3.4 Mtr.

